

Approved for healthy cleaning

IVB 5 and IVB 7 M/H is the solution for the even more demanding customers with a higher frequency of cleaning. IVB 5/7 will solve all major tasks in your company - workshop, garage, production etc. Additionally this health & safety variant complies with all current requirements of the new European standard. The IVB 5/7 series is equipped with the XtremeClean system which allows automatic cleaning of the filter cartridge while vacuuming on full suction performance. The XtremeClean technology blasts the dirt off the filter and the suction performance is always high. The M class version is equipped with washable M-Class PET Fleece filter element - Easy and economical maintenance.




Picture shown may not represent model quoted


- Safety vacuum cleaner for dustclass M or H
- XtremeClean filter cleaning system. The XtremeClean technology blasts the dirt off the filter to keep the suction performance high
- SoftStart. A gentle motor startup keeps the starting current low. For easy starting on limited electrical systems
- Auto On/Off. In combination with powered tools the machine starts and stops automatically when you start or stop the power tool
- Speed governor. To reduce suction performance and noise level and to prevent that the power tool sticks to the working surface
- IVB 7, Tilt or LiftOut container

The IVB 5 and IVB 7 M/H is equipped with the XtremeClean system which clean your filter automatically while you work. With IVB 7 you also get features like 70 l stainless steel container, robust steel frame and tilt or lift-off container emptying.

● Standard equipment

Included accessories		Ref. no.	Min. required	NILFISK IVB5-H 240V/50HZ AU	NILFISK IVB 5-H 230/50 EU	NILFISK IVB 5-M 230/50 EU
	Filters					
	FILTER ELEMENT D275X187 H-CLASS	107400564	0	•	•	
	FILTER ELEMENT D275X187 PET NANO M-CLASS	107400562	0			•

● Standard equipment

Included accessories		Ref. no.	Min. required	NILFISK IVB 7-H 230/1/50 EU	NILFISK IVB 7-M 230/1/50 EU
	Filters				
	FILTER ELEMENT D275X187 H-CLASS	107400564	0	•	
	FILTER ELEMENT D275X187 PET NANO M-CLASS	107400562	0		•

Model	NILFISK IVB5-H 240V/50HZ AU	NILFISK IVB 5-H 230/50 EU	NILFISK IVB 5-M 230/50 EU
Ref. no.	107406178	302001891	302001892

PRODUCT FEATURES

Cable holder	•	•	•
Softstart	•	•	•
Filter bag			•
Disposal bag			•



Nilfisk-Advance A/S
Sognevej 25, 2605 Brøndby
Tel: +45 43238100 Fax: +45 43437700

All information provided in this document is subject to change without prior notice

Approved for healthy cleaning

Model	NILFISK IVB5-H 240V/50HZ AU	NILFISK IVB 5-H 230/50 EU	NILFISK IVB 5-M 230/50 EU
Ref. no.	107406178	302001891	302001892

PRODUCT FEATURES

Airflow sensor	•	•	•
Tilting container			
Safety filter bag	•	•	•
Anti-static system	•	•	•
Motor speed control	•	•	•
Robust steel chassis			
Wet & dry performance	•	•	•
Low working sound level	•	•	•
Stainless steel container			
Multi-fit accessory system	•	•	•
Genuine rubber mains cable	•	•	•
Washable pet fleece filter			•
Automatic on/off-elec. tools	•	•	•
Big wheels and convenient grip			
M-class hazardous dust approval			•
H-class hazardous dust approval	•	•	
Xtremeclean auto filter cleaning	•	•	•

Model	NILFISK IVB 7-H 230/1/50 EU	NILFISK IVB 7-M 230/1/50 EU
Ref. no.	302001893	302001894

PRODUCT FEATURES

Cable holder	•	•
Softstart	•	•
Filter bag		•
Disposal bag		•
Airflow sensor	•	•
Tilting container	•	•
Safety filter bag	•	•
Anti-static system	•	•
Motor speed control	•	•
Robust steel chassis	•	•
Wet & dry performance	•	•
Low working sound level	•	•
Stainless steel container	•	•

Approved for healthy cleaning

Model	NILFISK IVB 7-H 230/1/50 EU	NILFISK IVB 7-M 230/1/50 EU
Ref. no.	302001893	302001894

PRODUCT FEATURES



Multi-fit accessory system	•	•
Genuine rubber mains cable	•	•
Washable pet fleece filter		•
Automatic on/off-elec. tools	•	•
Big wheels and convenient grip	•	•
M-class hazardous dust approval		•
H-class hazardous dust approval	•	
Xtremeclean auto filter cleaning	•	•

Technical specifications	NILFISK IVB5-H 240V/50HZ AU	NILFISK IVB 5-H 230/50 EU	NILFISK IVB 5-M 230/50 EU
Rated power (W)	1200	1200	1200
Vacuum (kPa)	23	23	23
Voltage (V)	220-240/AU	220-240/EU	220-240/EU
Weight (kg)	16,7	16,7	16,7
Container capacity (l)	45	45	45
Dust bag capacity (l)	20	20	20
Sound pressure level at 1.5 m (dB(A)ISO 3744)	53,5	53,5	53,5
Grounded	YES	YES	YES
Main filter area (cm ²)	10000	10000	7800
Airflow without hose (l/sec)	60	60	60
Suction power end of tube (W)	270	270	270
Frequency (Hz)	50-60	50-60	50-60
Vacuum max (kPa)	23	23	23
Inlet (mm)	50 multifit	50 multifit	50 multifit
Dust class	H	H	M
Ip protection class	IPX4	IPX4	IPX4
Length x width x height (cm)	50,6x 47,6x65,5	50,6x 47,6x65,5	50,6x 47,6x65,5
Main filter type	Paper/Glass Fibre	Paper/Glass Fibre	PET
Sound pressure level at 1.5m w/nozzle (dB(A)ISO 11203)	-	-	-
Exhaust filter ulpa u15 (cm2)	-	-	-

Approved for healthy cleaning

Technical specifications	NILFISK IVB 7-H 230/1/50 EU	NILFISK IVB 7-M 230/1/50 EU
Rated power (W)	1200	1200
Vacuum (kPa)	23	23
Voltage (V)	220-240/EU	220-240/EU
Weight (kg)	27,2	27,2
Container capacity (l)	70	70
Dust bag capacity (l)	40	40
Sound pressure level at 1.5 m (dB(A)ISO 3744)	53,5	53,5
Grounded	YES	YES
Main filter area (cm ²)	10000	7800
Airflow without hose (l/sec)	60	60
Suction power end of tube (W)	270	270
Frequency (Hz)	50-60	50-60
Vacuum max (kPa)	23	23
Inlet (mm)	50 multifit	50 multifit
Dust class	H	M
Ip protection class	IPX4	IPX4
Length x width x height (cm)	58x 60,5x97	58x 60,5x97
Main filter type	Paper/Glass Fibre	PET
Sound pressure level at 1.5m w/nozzle (dB(A)ISO 11203)	-	-
Exhaust filter ulpa u15 (cm2)	-	-


● Standard equipment, ○ Supplementary accessories, □ Mountable equipment

Accessories	Ref. no.	Min. required	NILFISK IVB5-H 240V/50HZ AU	NILFISK IVB 5-H 230/50 EU	NILFISK IVB 5-M 230/50 EU
 Round brush nozzle	ROUND BRUSH BLACK FOR 38MM BRUSH 70M	10950200	0	○	○
	ROUND BRUSH RED FOR 38MM BRUSH 70M	10950201	0	○	○
	ROUND BRUSH GREEN FOR 38MM BRUSH 70M	10950202	0	○	○
	ROUND BRUSH BLUE FOR 38MM BRUSH 70M	10950203	0	○	○
	ROUND BRUSH YELLOW FOR 38MM BRUSH 70M	10950205	0	○	○
	ROUND BRUSH WHITE FOR 38MM BRUSH 70M	10950204	0	○	○
	ROUND BRUSH NATURAL BRISTLES 70MM F/ 38	12422500	0	○	○
	 Bag	FILTER BAG IVB-7 5 PCS	302001909	0	
DISPOSAL BAG FOR FILTER ELEMENT		30082	0	○	○
FILTER BAG ATTIX 560 5 PCS		302001138	0	○	○
SAFETY FILTER BAG IVB-7 5 PCS		302001912	0		







Approved for healthy cleaning

Accessories	Ref. no.	Min. required	NILFISK IVB5-H 240V/50HZ AU	NILFISK IVB 5-H 230/50 EU	NILFISK IVB 5-M 230/50 EU
SAFETY FILTER BAG ATTIX 560 SET5	302001143	0	○	○	○
DISPOSAL BAG IVB-5 5 PCS	302001311	0	○	○	○
Vacuum Accessory Sets					
 WORKSHOP SET Ø36MM 6-PCS	302000927	1	○	○	○
ANTISTAT KIT 38MM	80601000	0	○	○	○
MAC/FLOOR KIT 38MM RUBBER MULT	80601300	0	○	○	○
MAC/FLOOR KIT 38MM POLYUR. MUL	80601200	0	○	○	○
MACH. KIT 38MM POLYURETHANE MU	80601100	0	○	○	○
Tube					
 SS BENT JUNCTION D38	71917000	0	○	○	○
BENT JUNCTION D38	10944000	0	○	○	○
Cone nozzle					
 CONIC ACC D38 X IW	82167900	0	○	○	○
RUBBER CONDE D38	80956200	0	○	○	○
Filters					
 MOTOR COOLING AIR FILTER	302000491	0	○	○	○
GASKET FILTER CR	302000697	0	○	○	○
FILTER ELEMENT D275X187 H-CLASS	107400564	0	●	●	
FILTER ELEMENT D275X187 PET NANO M-CLASS	107400562	0			●
Others					
 EXHAUST AIR COLLECTOR ATTIX 5/7	302000522	0	○	○	○
MULTIFIT CONNECTOR	80601400	0	○	○	○
CHIP COLLECTION BASKET Ø392X390 SS	302001612	0			
HOSE HOLDER	65081	0			
Vac Nozzle Fixed					
 RUBBER LIPS 2 PCS FOR FIXED NOZZLE	15814	0			
FIXED FLOOR NOZZLE Ø50X600MM ALU	302001481	0			
BRUSH STRIP 1 PCS FOR FIXED NOZZLE	7993	0			
Nozzle					
 NOZZLE W/BRISTLES F/38MM	140 3816 020	0	○	○	○
HARD FLOOR NOZZ.	12126800	0	○	○	○
Vac Nozzle Wet					
 FLOOR NOZZLE D38 X IW	82168000	0	○	○	○
Extension tubes					
 SS TUBE 630MM	11916000	0	○	○	○







Approved for healthy cleaning

Accessories		Ref. no.	Min. required	NILFISK IVB5-H 240V/50HZ AU	NILFISK IVB 5-H 230/50 EU	NILFISK IVB 5-M 230/50 EU
	Fish tail nozzle					
	FLAT NOZZLE D38 X IW	82169700	0	○	○	○

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment

Accessories		Ref. no.	Min. required	NILFISK IVB 7-H 230/1/50 EU	NILFISK IVB 7-M 230/1/50 EU
	Round brush nozzle				
	ROUND BRUSH BLACK FOR 38MM BRUSH 70M	10950200	0	○	○
	ROUND BRUSH RED FOR 38MM BRUSH 70M	10950201	0	○	○
	ROUND BRUSH GREEN FOR 38MM BRUSH 70M	10950202	0	○	○
	ROUND BRUSH BLUE FOR 38MM BRUSH 70M	10950203	0	○	○
	ROUND BRUSH YELLOW FOR 38MM BRUSH 70M	10950205	0	○	○
	ROUND BRUSH WHITE FOR 38MM BRUSH 70M	10950204	0	○	○
	ROUND BRUSH NATURAL BRISTLES 70MM F/ 38	12422500	0	○	○
	Bag				
	FILTER BAG IVB-7 5 PCS	302001909	0	○	○
	DISPOSAL BAG FOR FILTER ELEMENT	30082	0	○	○
	FILTER BAG ATTIX 560 5 PCS	302001138	0		
	SAFETY FILTER BAG IVB-7 5 PCS	302001912	0	○	○
	SAFETY FILTER BAG ATTIX 560 SET5	302001143	0		
	DISPOSAL BAG IVB-5 5 PCS	302001311	0		
	Vacuum Accessory Sets				
	WORKSHOP SET Ø36MM 6-PCS	302000927	1	○	○
	ANTISTAT KIT 38MM	80601000	0	○	○
	MAC/FLOOR KIT 38MM RUBBER MULT	80601300	0	○	○
	MAC/FLOOR KIT 38MM POLYUR. MUL	80601200	0	○	○
	MACH. KIT 38MM POLYURETHANE MU	80601100	0	○	○
	Tube				
	SS BENT JUNCTION D38	71917000	0	○	○
	BENT JUNCTION D38	10944000	0	○	○
	Cone nozzle				
	CONIC ACC D38 X IW	82167900	0	○	○
	RUBBER CONDE D38	80956200	0	○	○
	Filters				
	MOTOR COOLING AIR FILTER	302000491	0	○	○
	GASKET FILTER CR	302000697	0	○	○
	FILTER ELEMENT D275X187 H-CLASS	107400564	0	●	

Approved for healthy cleaning

Accessories		Ref. no.	Min. required	NILFISK IVB 7-H 230/1/50 EU	NILFISK IVB 7-M 230/1/50 EU
	FILTER ELEMENT D275X187 PET NANO M-CLASS	107400562	0		•
	Others				
	EXHAUST AIR COLLECTOR ATTIX 5/7	302000522	0	○	○
	MULTIFIT CONNECTOR	80601400	0	○	○
	CHIP COLLECTION BASKET Ø392X390 SS	302001612	0	○	○
	HOSE HOLDER	65081	0	○	○
	Vac Nozzle Fixed				
	RUBBER LIPS 2 PCS FOR FIXED NOZZLE	15814	0	○	○
	FIXED FLOOR NOZZLE Ø50X600MM ALU	302001481	0	○	○
	BRUSH STRIP 1 PCS FOR FIXED NOZZLE	7993	0	○	○
	Nozzle				
	NOZZLE W/BRISTLES F/38MM	140 3816 020	0	○	○
	HARD FLOOR NOZZ.	12126800	0	○	○
	Vac Nozzle Wet				
	FLOOR NOZZLE D38 X IW	82168000	0	○	○
	Extension tubes				
	SS TUBE 630MM	11916000	0	○	○
	Fish tail nozzle				
	FLAT NOZZLE D38 X IW	82169700	0	○	○