#### The powerful, sturdy high-pressure washer for frequent or larger cleaning tasks

This powerful Nilfisk high pressure washer easily handles larger and frequent cleaning tasks.

From gentle cleaning of more soft or sensitive surfaces to blasting away ingrained dirt.

The telescopic handle, sturdy wheels, long hose and one-hand operated hose reel all ensure the ease-of-use you want, when working for longer periods of time.

To increase performance, this Nilfisk comes with Click&Clean connectivity for a range of optional accessories.

- 140 bar, max pressure
- · Reliable aluminum pump
- Automatic start/ stop system
- · 9m soft hose and one-hand operated hose reel
- · Telescopic handle with sturdy and robust aluminum tubes
- · Trolley ensures high mobility and ease of use
- · Easy storage of gun, lance, nozzles and foam sprayer onboard
- · Convenient storage of electric cable
- Click&Clean nozzle system ensures quick and easy change of nozzle.
- · Can be used as stationary machine with optional wall hook



Picture shown may not represent model quoted

#### Standard equipment

	Included accessories	Ref. no.	Min. required	D 140.4-9 X- TRA EU	D 140.4-9 P X- TRA EU	D 140.4-9 DP X-TRA EU
Hose and Co	nnection					
9	HOSE TEXTILE SOFT 9M FOR MODEL	128500654	0	•	•	•
Nozzle - High	Pressure Washer					
	POWER SPEED NOZZLE	128501153	0	•	•	•
	PR TORNADO DARK BLUE	126481120	0	•	•	•
Brush			,			
	ROTARY BRUSH	126411395	0			
Accessory						
	CLEANING TOOL BLACK	6520844	0	•	•	•



# The powerful, sturdy high-pressure washer for frequent or larger cleaning tasks

	Included accessories	Ref. no.	Min. required	D 140.4-9 X- TRA EU	D 140.4-9 P X- TRA EU	D 140.4-9 DP X-TRA EU
	DRAIN AND TUBE 8M	128500461	0			•
	FOAMSPRAYER WITH BOTTLE	128500077	0	•	•	•
	G3 LANCE COMPLETE	126481134	0	•	•	•
	G4 SPRAY HANDLE W.SOFT COATING	128500071	0	•	•	•
•	Patio Cleaner	128500702	0		•	•

#### Standard equipment

	Included accessories	Ref. no.	Min. required	D 140.4-9 PAD X-TRA EU	D 140.4-9 XTRA UK	D 140.4-9 P X- TRA UK
Hose and Co	nnection					
9	HOSE TEXTILE SOFT 9M FOR MODEL	128500654	0	•	•	•
Nozzle - High	Pressure Washer					
	POWER SPEED NOZZLE	128501153	0	•	•	•
	PR TORNADO DARK BLUE	126481120	0	•	•	•
Brush						
	ROTARY BRUSH	126411395	0	•		
Accessory						
	CLEANING TOOL BLACK	6520844	0	•	•	•



# The powerful, sturdy high-pressure washer for frequent or larger cleaning tasks

	Included accessories	Ref. no.	Min. required	D 140.4-9 PAD X-TRA EU	D 140.4-9 XTRA UK	D 140.4-9 P X- TRA UK
-	DRAIN AND TUBE 8M	128500461	0	•		
	FOAMSPRAYER WITH BOTTLE	128500077	0	•	•	•
	G3 LANCE COMPLETE	126481134	0	•	•	•
	G4 SPRAY HANDLE W.SOFT COATING	128500071	0	•	•	•
•	Patio Cleaner	128500702	0	•		•

#### Standard equipment

	Included accessories	Ref. no.	Min. required	D 140.4-9 DP X-TRA UK	D 140.4-9 PAD XTRA UK
Hose and Co	nnection	'		'	
	HOSE TEXTILE SOFT 9M FOR MODEL	128500654	0	•	•
Nozzle - High	Pressure Washer				
	POWER SPEED NOZZLE	128501153	0	•	•
	PR TORNADO DARK BLUE	126481120	0	•	•
Brush					
	ROTARY BRUSH	126411395	0		•
Accessory					
	CLEANING TOOL BLACK	6520844	0	•	•



	Included accessories	Ref. no.	Min. required	D 140.4-9 DP X-TRA UK	D 140.4-9 PAD XTRA UK
	DRAIN AND TUBE 8M	128500461	0	•	•
	FOAMSPRAYER WITH BOTTLE	128500077	0	•	•
	G3 LANCE COMPLETE	126481134	0	•	•
	G4 SPRAY HANDLE W.SOFT COATING	128500071	0	•	•
•	Patio Cleaner	128500702	0	•	•
Model		D 140.4-9 X-TRA EU	D 140.4-9 E	P X-TRA D U	140.4-9 DP X- TRA EU
Ref. no.		128471175	12847	71176	128471177
PRODUCT F	EATURES				
Trolley		•	•	•	•
Hose reel		•	•	•	•
Aluminium pu	ump	•	•	•	•
Lance and sp	oray gun storage	•	•	•	•
Storage of ac		•	•	•	•
Cable storag		•			•
	(C&C) nozzle concept	•			•
	ck connection and swivel	•	•		•
	eel armed) hose	•			
Automatic sta Soft grip	ai v aiop	•			•
Telescopic ha	andle	•			•
Wireless Pov		-			
	ulation in nozzle	•		•	•



Model	D 140.4-9 PAD X- TRA EU	D 140.4-9 XTRA UK	D 140.4-9 P X-TRA UK
Ref. no.	128471178	128471207	128471208
PRODUCT FEATURES			
Trolley	•	•	•
Hose reel	•	•	•
Aluminium pump	•	•	•
Lance and spray gun storage	•	•	•
Storage of accessories	•	•	•
Cable storage	•	•	•
Click&Clean (C&C) nozzle concept	•	•	•
Gun with quick connection and swivel	•	•	•
Superflex (steel armed) hose			
Automatic start/stop	•	•	•
Soft grip	•	•	•
Telescopic handle	•	•	•
Wireless PowerGrip			
Pressure regulation in nozzle	•	•	•
Model		D 140.4-9 DP X- TRA UK	D 140.4-9 PAD XTRA UK
Ref. no.		128471209	128471210
PRODUCT FEATURES			
Trolley		•	•
Hose reel		•	•
Aluminium pump		•	•
Lance and spray gun storage		•	•
Storage of accessories		•	•
Cable storage		•	•
Click&Clean (C&C) nozzle concept		•	•
Gun with quick connection and swivel		•	•
Superflex (steel armed) hose			
Automatic start/stop		•	•
Soft grip		•	•
Telescopic handle		•	•
Wireless PowerGrip			
Pressure regulation in nozzle		•	•



Pump pressure (bar/MPa)         Max 140 max 14         Rated power (kW)         2.4	Technical specifications	D 140.4-9 X-TRA EU	D 140.4-9 P X-TRA EU	D 140.4-9 DP X- TRA EU
Voltage/phase/frequency/current (V/~/HZ/A)         230 - 240 / 1 - /50 / 10 / 10 / 10 / 10 / 10 / 10 / 10	Pump pressure (bar/MPa)	Max 140/ max 14	Max 140/ max 14	Max 140/ max 14
Voltage/phase/requency/current (Vir-/HZ/A)         10         10         10           Water flow Omax/Qiec (I/h)         550/ 420         550/ 420         550/ 420           Cable length (m)         9         9         9           Max. inlet temperature (°C)         40         40         40           Length x width x height (cm)         39.5 x 34.5 x 87.5         39.5 x 34.5 x 87.5         39.5 x 34.5 x 87.5           Weight (kg)         13         13         13           Technical specifications         D 140.4-9 PADA* TRA EUR         D 140.4-9 PXTRA UK           Pump pressure (bar/MPa)         Max 140/ max 14	Rated power (kW)	2.4	2.4	2.4
Cable length (m)         5         5         5           Hose length (m)         9         9         9           Max. inlet temperature (°C)         40         40         40           Length x width x height (cm)         39.5 x 34.5 x 87.5         39.5 x 34.5 x	Voltage/phase/frequency/current (V/~/HZ/A)			
Hose length (m)         9         9         9           Max. inlet temperature (°C)         40         40         40           Length x width x height (cm)         39.5 x 34.5 x 87.5         39.5 x 34.5 x 87	Water flow Qmax/Qiec (I/h)	550/ 420	550/ 420	550/ 420
Max. inlet temperature (°C)         40         40         40           Length x width x height (cm)         39.5 x 34.5 x 87.5         31.3         14         14 <td< td=""><td>Cable length (m)</td><td>5</td><td>5</td><td>5</td></td<>	Cable length (m)	5	5	5
Length x width x height (cm)         39.5 x 34.5 x 87.5         31.3         13         13         13         13         13         13         13         13         13         13         13         140.4-9 PX-TRA UK         20         20         20         20         20         20         20         20         20         20         20         20         20         20         20         120         110         10         20         20         20         120         110         10         10         20         20         20         120         11-150         20         20         20         20         120         11-150         20         20         20         20         20         120         120         120         20         20         20         20         20         20         20         20         20         20         20         20         20         20         20 <th< td=""><td>Hose length (m)</td><td>9</td><td>9</td><td>9</td></th<>	Hose length (m)	9	9	9
Weight (kg)         13         13         13           Technical specifications         D 140.4-9 PAD X- TRA EU         D 140.4-9 PAD X- TRA EU         D 140.4-9 PAT X- UK         D 140.4-9 PAT X- UK           Pump pressure (bar/MPa)         Max 140/ max 14         Aux 140	Max. inlet temperature (°C)	40	40	40
Technical specifications         D 140.4-9 PAD X TRA EUX         D 140.4-9 PAT X UK	Length x width x height (cm)	39.5 x 34.5 x 87.5	39.5 x 34.5 x 87.5	39.5 x 34.5 x 87.5
Pump pressure (bar/MPa)	Weight (kg)	13	13	13
Rated power (kW)         2.4         2.4         2.4         2.4           Voltage/phase/frequency/current (V/~/HZ/A)         230 - 240 / 1~/50 / 10         230 - 240 / 1~/50 / 10         230 - 240 / 1~/50 / 10         230 - 240 / 1~/50 / 10         230 - 240 / 1~/50 / 10         230 - 240 / 1~/50 / 10         230 - 240 / 1~/50 / 10         550 / 420         550 / 420         550 / 420         550 / 420         550 / 420         550 / 420         550 / 420         550 / 420         550 / 420         60<	Technical specifications		D 140.4-9 XTRA UK	
Voltage/phase/frequency/current (V/~/HZ/A)         230 - 240 / 1 - / 50 / 10         230 - 240 / 1 - / 50 / 20         230 - 240 / 1 - / 50 / 20           Water flow Qmax/Qiec (I/h)         550/ 420         550/ 420         550/ 420           Cable length (m)         5         5         5           Hose length (m)         9         9         9           Max. inlet temperature (°C)         40         40         40           Length x width x height (cm)         39.5 x 34.5 x 87.5         39.5 x 34.5 x 87.5         39.5 x 34.5 x 87.5           Weight (kg)         13         13         13           Technical specifications         D 140.4-9 PAD TRA UK         XTRA UK           Pump pressure (bar/MPa)         Max 140/ max 14         Max 140/ max 14           Rated power (kW)         2.4         2.4           Voltage/phase/frequency/current (V/~/HZ/A)         550/ 420         550/ 420           Water flow Qmax/Qiec (I/h)         550/ 420         550/ 420           Cable length (m)         5         5           Hose length (m)         9         9           Max. inlet temperature (°C)         40         40           Length x width x height (cm)         39.5 x 34.5 x 87.5         39.5 x 34.5 x 87.5	Pump pressure (bar/MPa)	Max 140/ max 14	Max 140/ max 14	Max 140/ max 14
Voltage/phase/requency/current (V/~/HZ/A)         10         10         10           Water flow Qmax/Qiec (I/h)         550/ 420         550/ 420         550/ 420           Cable length (m)         5         5         5           Hose length (m)         9         9         9           Max. inlet temperature (°C)         40         40         40           Length x width x height (cm)         39.5 x 34.5 x 87.5         39.5 x 34.5 x 87.5         39.5 x 34.5 x 87.5           Weight (kg)         13         13         13         13           Technical specifications         Max 140/ max 14         Max 140/ max 14         Max 140/ max 14           Pump pressure (bar/MPa)         Max 140/ max 14         Max 140/ max 14         Max 140/ max 14           Rated power (kW)         2.4         2.4         2.4           Voltage/phase/frequency/current (V/~/HZ/A)         550/ 420         550/ 420           Water flow Qmax/Qiec (I/h)         550/ 420         550/ 420           Cable length (m)         5         5           Hose length (m)         9         9           Max. inlet temperature (°C)         40         40           Length x width x height (cm)         39.5 x 34.5 x 87.5         39.5 x 34.5 x 87.5         39.5 x 34.5 x 87	Rated power (kW)	2.4	2.4	2.4
Cable length (m)         5         5         5           Hose length (m)         9         9         9           Max. inlet temperature (°C)         40         40         40           Length x width x height (cm)         39.5 x 34.5 x 87.5         39.5 x 34.5 x	Voltage/phase/frequency/current (V/~/HZ/A)			
Hose length (m) 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	Water flow Qmax/Qiec (I/h)	550/ 420	550/ 420	550/ 420
Max. inlet temperature (°C)       40       40       40         Length x width x height (cm)       39.5 x 34.5 x 87.5       39.5 x 34.5 x 87.5<	Cable length (m)	5	5	5
Length x width x height (cm)       39.5 x 34.5 x 87.5       39.5 x 34.5 x 87.5 <th< td=""><td>Hose length (m)</td><td>9</td><td>9</td><td>9</td></th<>	Hose length (m)	9	9	9
Weight (kg)         13         13         13           Technical specifications         D 140.4-9 DP X- TRA UK         D 140.4-9 PAD XTRA UK           Pump pressure (bar/MPa)         Max 140/ max 14         Max 140/ max 14           Rated power (kW)         2.4         2.4           Voltage/phase/frequency/current (V/~/HZ/A)         230 - 240 / 1~/ 50 / 10         230 - 240 / 1~/ 50 / 10           Water flow Qmax/Qiec (I/h)         550/ 420         550/ 420           Cable length (m)         5         5           Hose length (m)         9         9           Max. inlet temperature (°C)         40         40           Length x width x height (cm)         39.5 x 34.5 x 87.5         39.5 x 34.5 x 87.5	Max. inlet temperature (°C)	40	40	40
Technical specifications         D 140.4-9 DP X- TRA UK         D 140.4-9 DP X- XTRA UK           Pump pressure (bar/MPa)         Max 140/ max 14         Max 140/ max 14           Rated power (kW)         2.4         2.4           Voltage/phase/frequency/current (V/~/HZ/A)         230 - 240 / 1~/50 / 10         230 - 240 / 1~/50 / 10         230 - 240 / 1~/50 / 10           Water flow Qmax/Qiec (l/h)         550/ 420         550/ 420           Cable length (m)         5         5           Hose length (m)         9         9           Max. inlet temperature (°C)         40         40           Length x width x height (cm)         39.5 x 34.5 x 87.5         39.5 x 34.5 x 87.5	Length x width x height (cm)	39.5 x 34.5 x 87.5	39.5 x 34.5 x 87.5	39.5 x 34.5 x 87.5
Pump pressure (bar/MPa)         Max 140/ max 14         Max 140/ max 14           Rated power (kW)         2.4         2.4           Voltage/phase/frequency/current (V/~/HZ/A)         230 - 240 / 1~/ 50 / 10         230 - 240 / 1~/ 50 / 10           Water flow Qmax/Qiec (I/h)         550/ 420         550/ 420           Cable length (m)         5         5           Hose length (m)         9         9           Max. inlet temperature (°C)         40         40           Length x width x height (cm)         39.5 x 34.5 x 87.5         39.5 x 34.5 x 87.5	Weight (kg)	13	13	13
Rated power (kW)       2.4       2.4         Voltage/phase/frequency/current (V/~/HZ/A)       230 - 240 / 1~/50 / 10       230 - 240 / 1~/50 / 10         Water flow Qmax/Qiec (I/h)       550/ 420       550/ 420         Cable length (m)       5       5         Hose length (m)       9       9         Max. inlet temperature (°C)       40       40         Length x width x height (cm)       39.5 x 34.5 x 87.5       39.5 x 34.5 x 87.5	Technical specifications			
Voltage/phase/frequency/current (V/~/HZ/A)       230 - 240 / 1~/50 / 10       230 - 240 / 1~/50 / 10         Water flow Qmax/Qiec (I/h)       550/ 420       550/ 420         Cable length (m)       5       5         Hose length (m)       9       9         Max. inlet temperature (°C)       40       40         Length x width x height (cm)       39.5 x 34.5 x 87.5       39.5 x 34.5 x 87.5	Pump pressure (bar/MPa)		Max 140/ max 14	Max 140/ max 14
Voltage/phase/nequency/current (V/-N12/A)       10       10         Water flow Qmax/Qiec (I/h)       550/ 420       550/ 420         Cable length (m)       5       5         Hose length (m)       9       9         Max. inlet temperature (°C)       40       40         Length x width x height (cm)       39.5 x 34.5 x 87.5       39.5 x 34.5 x 87.5	Rated power (kW)		2.4	2.4
Cable length (m)       5       5         Hose length (m)       9       9         Max. inlet temperature (°C)       40       40         Length x width x height (cm)       39.5 x 34.5 x 87.5       39.5 x 34.5 x 87.5	Voltage/phase/frequency/current (V/~/HZ/A)			
Hose length (m) 9 9  Max. inlet temperature (°C) 40 40  Length x width x height (cm) 39.5 x 34.5 x 87.5 39.5 x 34.5 x 87.5	Water flow Qmax/Qiec (I/h)		550/ 420	550/ 420
Max. inlet temperature (°C)       40       40         Length x width x height (cm)       39.5 x 34.5 x 87.5       39.5 x 34.5 x 87.5	Cable length (m)		5	5
Length x width x height (cm) 39.5 x 34.5 x 87.5 39.5 x 34.5 x 87.5	Hose length (m)		9	9
	Max. inlet temperature (°C)		40	40
Weight (kg) 13 13	Length x width x height (cm)		39.5 x 34.5 x 87.5	39.5 x 34.5 x 87.5
	Weight (kg)		13	13



## The powerful, sturdy high-pressure washer for frequent or larger cleaning tasks

 $\bullet$  Standard equipment,  $^{\bigcirc}$  Supplementary accessories,  $^{\square}$  Mountable equipment

	Accessories	Ref. no.	Min. required	D 140.4-9 X- TRA EU	D 140.4-9 P X- TRA EU	D 140.4-9 DP X-TRA EU
Brush						
	Auto brush	6411131	0	0	0	0
	Car brush head	128500463	0	0	0	0
	FIXED BRUSH SHORT NILFISK SP	128500685	0	0	0	0
	Garden brush head	128470457	0	0	0	0
	RIM BRUSH HEAD	128470458	0	0	0	0
-	ROTARY BRUSH	6410762	0	0	0	0
	ROTARY BRUSH	126411395	0	0	0	0
Accessory						
	CLEANING TOOL BLACK	6520844	0	•	•	•
	DRAIN AND TUBE 8M	128500461	0	0	0	•
O	DRAIN AND TUBE CLEANER ALTO	6410766	0	0	0	0
Ī	FOAMSPRAYER WITH BOTTLE	128500077	0	•	•	•



	Accessories	Ref. no.	Min. required	D 140.4-9 X- TRA EU	D 140.4-9 P X- TRA EU	D 140.4-9 DP X-TRA EU
	G3 LANCE COMPLETE	126481134	0	•	•	•
	G4 SPRAY HANDLE W.SOFT COATING	128500071	0	•	•	•
-	INLET SUCTION HOSE 3M	128500673	0	0	0	0
	MULTI ANGLE ADAPTER	6411138	0	0	0	0
	MULTI BRUSH	128470456	0	0	0	0
	NILFISK C&C SUPER FOAM SPRAYER	128500938	0	0	0	0
	NILFISK POWER PATIO	128500955	0	0	0	0
	NILFISK WATER FILTER	128500674	0	0	0	0
•	Patio Cleaner	128500702	0	0	•	•
4	ROOF CLEANER	128470040	0	0	0	0
	Under Chassis Spray Lance	6410763	0	0	0	0
	VSB SET - GREEN	6410891	0	0	0	0



	Accessories	Ref. no.	Min. required	D 140.4-9 X- TRA EU	D 140.4-9 P X- TRA EU	D 140.4-9 DP X-TRA EU
1.	WALL HOOK	106411386	0	0	0	0
6	Water Emptying Kit	126411387	0	0	0	0
Nozzle - High	Pressure Washer					
	POWER SPEED NOZZLE	128501153	0	•	•	•
	PR TORNADO DARK BLUE	126481120	0	•	•	•
4	Under Chassis Nozzle	6411135	0	0	0	0
	Wide Angled Auto & Cycle Nozzle	6411136	0	0	0	0
Hose and Co	nnection					
0	EXT. HOSE 7 M - QUICK COUPLING	106411346	0	0	0	0
	HOSE TEXTILE SOFT 9M FOR MODEL	128500654	0	•	•	•
	NILFISK BA VALVE COMP. GARDENA	106411177	0	0	0	0
Accessory Kit						
	MULTI BRUSH KIT	128470459	0	0	0	0
°°000	O-RING KIT CONSUMER HPW	128500292	0	0	0	0



## The powerful, sturdy high-pressure washer for frequent or larger cleaning tasks

 $\bullet$  Standard equipment,  $^{\bigcirc}$  Supplementary accessories,  $^{\square}$  Mountable equipment

	Accessories	Ref. no.	Min. required	D 140.4-9 PAD X-TRA EU	D 140.4-9 XTRA UK	D 140.4-9 P X- TRA UK
Brush						
	Auto brush	6411131	0	0	0	0
<b>3</b>	Car brush head	128500463	0	0	0	0
	FIXED BRUSH SHORT NILFISK SP	128500685	0	0	0	0
	Garden brush head	128470457	0	0	0	0
	RIM BRUSH HEAD	128470458	0	0	0	0
-	ROTARY BRUSH	6410762	0	0	0	0
	ROTARY BRUSH	126411395	0	•	0	0
Accessory						
	CLEANING TOOL BLACK	6520844	0	•	•	•
	DRAIN AND TUBE 8M	128500461	0	•	0	0
O	DRAIN AND TUBE CLEANER ALTO	6410766	0	0	0	0
Ī	FOAMSPRAYER WITH BOTTLE	128500077	0	•	•	•



	Accessories	Ref. no.	Min. required	D 140.4-9 PAD X-TRA EU	D 140.4-9 XTRA UK	D 140.4-9 P X- TRA UK
	G3 LANCE COMPLETE	126481134	0	•	•	•
	G4 SPRAY HANDLE W.SOFT COATING	128500071	0	•	•	•
***	INLET SUCTION HOSE 3M	128500673	0	0	0	0
	MULTI ANGLE ADAPTER	6411138	0	0	0	0
	MULTI BRUSH	128470456	0	0	0	0
	NILFISK C&C SUPER FOAM SPRAYER	128500938	0	0	0	0
	NILFISK POWER PATIO	128500955	0	0	0	0
	NILFISK WATER FILTER	128500674	0	0	0	0
•	Patio Cleaner	128500702	0	•	0	•
4	ROOF CLEANER	128470040	0	0	0	0
	Under Chassis Spray Lance	6410763	0	0	0	0
	VSB SET - GREEN	6410891	0	0	0	0



Accessories		Ref. no.	Min. required	D 140.4-9 PAD X-TRA EU	D 140.4-9 XTRA UK	D 140.4-9 P X- TRA UK
1.	WALL HOOK	106411386	0	0	0	0
6	Water Emptying Kit	126411387	0	0	0	0
Nozzle - High	Pressure Washer					
	POWER SPEED NOZZLE	128501153	0	•	•	•
	PR TORNADO DARK BLUE	126481120	0	•	•	•
4	Under Chassis Nozzle	6411135	0	0	0	0
	Wide Angled Auto & Cycle Nozzle	6411136	0	0	0	0
Hose and Co	Hose and Connection					
	EXT. HOSE 7 M - QUICK COUPLING	106411346	0	0	0	0
	HOSE TEXTILE SOFT 9M FOR MODEL	128500654	0	•	•	•
	NILFISK BA VALVE COMP. GARDENA	106411177	0	0	0	0
Accessory Kit						
	MULTI BRUSH KIT	128470459	0	0	0	0
°°000	O-RING KIT CONSUMER HPW	128500292	0	0	0	0



## The powerful, sturdy high-pressure washer for frequent or larger cleaning tasks

 $\bullet$  Standard equipment,  $^{\bigcirc}$  Supplementary accessories,  $^{\square}$  Mountable equipment

	Accessories	Ref. no.	Min. required	D 140.4-9 DP X-TRA UK	D 140.4-9 PAD XTRA UK
Brush					
	Auto brush	6411131	0	0	0
<b>3</b>	Car brush head	128500463	0	0	0
	FIXED BRUSH SHORT NILFISK SP	128500685	0	0	0
	Garden brush head	128470457	0	0	0
	RIM BRUSH HEAD	128470458	0	0	0
-	ROTARY BRUSH	6410762	0	0	0
	ROTARY BRUSH	126411395	0	0	•
Accessory					
	CLEANING TOOL BLACK	6520844	0	•	•
	DRAIN AND TUBE 8M	128500461	0	•	•
O	DRAIN AND TUBE CLEANER ALTO	6410766	0	0	0
Ī	FOAMSPRAYER WITH BOTTLE	128500077	0	•	•



	Accessories	Ref. no.	Min. required	D 140.4-9 DP X-TRA UK	D 140.4-9 PAD XTRA UK
	G3 LANCE COMPLETE	126481134	0	•	•
	G4 SPRAY HANDLE W.SOFT COATING	128500071	0	•	•
-	INLET SUCTION HOSE 3M	128500673	0	0	0
	MULTI ANGLE ADAPTER	6411138	0	0	0
	MULTI BRUSH	128470456	0	0	0
	NILFISK C&C SUPER FOAM SPRAYER	128500938	0	0	0
	NILFISK POWER PATIO	128500955	0	0	0
	NILFISK WATER FILTER	128500674	0	0	0
•	Patio Cleaner	128500702	0	•	•
4	ROOF CLEANER	128470040	0	0	0
	Under Chassis Spray Lance	6410763	0	0	0
	VSB SET - GREEN	6410891	0	0	0



	Accessories	Ref. no.	Min. required	D 140.4-9 DP X-TRA UK	D 140.4-9 PAD XTRA UK	
1	WALL HOOK	106411386	0	0	0	
6	Water Emptying Kit	126411387	0	0	0	
Nozzle - High	Pressure Washer					
	POWER SPEED NOZZLE	128501153	0	•	•	
	PR TORNADO DARK BLUE	126481120	0	•	•	
4	Under Chassis Nozzle	6411135	0	0	0	
	Wide Angled Auto & Cycle Nozzle	6411136	0	0	0	
Hose and Co	Hose and Connection					
	EXT. HOSE 7 M - QUICK COUPLING	106411346	0	0	0	
9	HOSE TEXTILE SOFT 9M FOR MODEL	128500654	0	•	•	
	NILFISK BA VALVE COMP. GARDENA	106411177	0	0	0	
Accessory Kit						
	MULTI BRUSH KIT	128470459	0	0	0	
°°000	O-RING KIT CONSUMER HPW	128500292	0	0	O	

